



ALWAYS IN STOCK
BEST PRICE GUARANTEE

**SAFETY
JOGGER
WORKS**

INDUSTRIAL PROFESSIONAL TACTICAL

LEAFLET

Worldwide 06 2020

mem87ops@gmail.com / +968 96060258

LIGHTWEIGHT COLLECTION



ABSOLUTE S1P SRC ESD

Sole	Impact phylon + natural rubber
Toecap	Nano carbon
Midssole	Puncture resistant lightweight
Lining	Breathable technomesh
Insole	SJ Hybrid
Category	S1P / SRC ESD
Size Range	EU 35-47 • UK 4-12 • US 4.5-13 • CM 23-31



LIGERO S1P SRC ESD

Sole	Impact phylon + natural rubber
Toecap	Nano carbon
Midssole	Puncture resistant lightweight
Lining	Breathable technomesh
Insole	SJ Hybrid
Category	S1P / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31

HIKING COLLECTION



X200031 S3 SRC

Sole	BASF PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 37-47 • UK 3.5-12 • US 4-13 • CM 24-31



X2020P31 S3 SRC

Sole	BASF PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



CLIMBER31 S3 SRC

Sole	BASF PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



JUMPER31 S3 SRC

Sole	BASF PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ-Flex
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



ORION S1P SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



GOBI S1P SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Insole	Premoulded
Category	S1P / SRC
Size Range	EU 35-46 • UK 3-11 • US 3-12 • CM 23-30



DAKAR S3 SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh suede
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



RUSH S3 SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh Nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



SAHARA S3 SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh suede
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



DESERT S1P SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Cotton
Insole	Soft Impact Foam
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



SPORTS COLLECTION



BALTO S1 SRC

Sole	Phylon/Rubber
Toecap	Steel
Midssole	-
Lining	Imbkmesh
Insole	Ergonomic breathable SJ Hybrid
Category	S1 / SRC
Size Range	EU 35-47 • UK 4-12 • US 4.5-13 • CM 23-31



BALTO S1 SRC

Sole	Phylon/Rubber
Toecap	Steel
Midssole	-
Lining	Imbkmesh
Insole	Ergonomic breathable SJ Hybrid
Category	S1 / SRC
Size Range	EU 35-47 • UK 4-12 • US 4.5-13 • CM 23-31



SPEEDY S3 SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Mesh
Insole	Soft Impact Foam
Category	S3 / SRC HRO
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



TURBO S3 SRC HRO

Sole	PU/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Mesh
Insole	Soft Impact Foam
Category	S3 / SRC HRO
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31





RAPTOR S1P

SRC

Sole Phylon+Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Coolmax®
 Insole Soft Impact Foam
 Category S1P / SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



XPLORE S3

SRC HRO

Sole PU/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Mesh
 Insole Soft Impact Foam
 Category S3 / SRC HRO
 Size Range EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



HEAVY DUTY COLLECTION



NEW

X430 S3

SRC ESD WR HRO

Sole PU/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining MAX-Tex membrane
 Insole SJ-Hybrid
 Category S3 / SRC ESD WR HRO
 Size Range EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



NEW

X330 S3

SRC ESD WR HRO

Sole PU/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining MAX-Tex membrane
 Insole SJ-Hybrid
 Category S3 / SRC ESD WR HRO
 Size Range EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



ULTIMA S3

SRC ESD HRO

Sole PU/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Coolmax® / Mesh nylon
 Insole Soft Impact Foam
 Category S3 / SRC HRO ESD
 Size Range EU 37-48 • UK 4-13 • US 4.5-13.5 • CM 24-31.5



150

087

METEOR S3

SRC HRO

Sole Phylon/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Alaskafelt
 Insole Soft Impact Foam
 Category S3 / SRC HRO
 Size Range EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



VOLCANO S3

SRC ESD WR

Sole PU/PU
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Coolmax® / cosmo
 Insole Soft Impact Foam
 Category S3 / SRC ESD WR
 Size Range EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



LAVA S3

SRC ESD WR

Sole PU/PU
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Coolmax® / cosmo
 Insole Soft Impact Foam
 Category S3 / SRC ESD WR
 Size Range EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



MARS EH SB

ELECTRICAL HAZARD PROTECTION 18KV

SRC

Sole PU/TPU
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Mesh Nylon
 Insole Soft Impact Foam
 Category SB / SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



PLUTO EH SB

ELECTRICAL HAZARD PROTECTION 18KV

SRC

Sole PU/TPU
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Mesh Nylon
 Insole Soft Impact Foam
 Category SB / SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



COSMOS S3

SRC

Sole PU/TPU
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Cambrella
 Insole Soft Impact Foam
 Category S3 / SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



NOVA S3

SRC

Sole PU/TPU
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Cambrella
 Insole Soft Impact Foam
 Category S3 / SRC
 Size Range EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



DYNAMICA S3 ENERGETICA S3

SRC ESD

Sole PU/PU
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Coolmax®
 Insole Soft Impact Foam
 Category S3 / SRC ESD
 Size Range EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31
 EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



VALLIS S3 MONTIS S3

SRC

Sole PU/PU
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Mesh Nylon
 Insole Soft Impact Foam
 Category S3 / SRC
 Size Range EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



POWER2 S3

SRC HRO HI

Sole PU/Rubber
 Toecap Composite
 Midsole Puncture Resistant SJ FLEX
 Lining Leather/Coolmax®
 Insole Premoulded
 Category S3 / SRC HRO HI
 Size Range EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



WORKERPLUS S3

SRC HRO

Sole PU/Rubber
 Toecap Steel
 Midsole Steel
 Lining Mesh Nylon
 Insole Soft Impact Foam
 Category S3 / SRC HRO
 Size Range EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31





EOS S3 SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC ESD
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



AURA S3 SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC ESD
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



X1100N S3 SRC

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Cambrella
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 4-12 • US 4.5-13 • CM 23-31



X1110 S3 SRC

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Cambrella
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 4-12 • US 4.5-13 • CM 23-31



BESTFIT S1P SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cambrella
Insole	Soft Impact Foam
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



MANAGER S3 SRC ESD

Sole	PU/PU
Toecap	Composite
Midsole	Puncture resistant SJ FLEX
Lining	Cambrella
Insole	Soft Impact Foam
Category	S3 / SRC ESD
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



BESTBOY231 S3 SRC

Sole	BASF PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



BESTRUN231 S3 SRC

Sole	BASF PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



BESTBOY251 S3 SRC HRO

Sole	BASF PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



BESTRUN251 S3 SRC HRO

Sole	BASF PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



NEW **LABOR S3** SRC HRO

Sole	Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



NEW **RENA S3** SRC HRO

Sole	Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



BESTBOY S3 SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Premoulded
Category	S3 / SRC
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 • CM 23-31.5



BESTRUN S3 SRC

Sole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Premoulded
Category	S3 / SRC
Size Range	EU 35-47 • UK 3-12 US 3-13 • CM 23-31



NEW **SAFETYSTAR S3** SRC

Sole	PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 US 4-13 • CM 23.5-31



SAFETYRUN S1P SRC

SAFETYBOY S1P SRC

Sole	PU
Toecap	Steel
Midsole	Steel
Lining	Mesh nylon
Insole	Premoulded
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 US 4-13 • CM 23.5-31



NEW

YUKON S1P

SRC

Sole	PU/PU
Toecap	Steel
Midssole	Puncture resistant SJ FLEX
Lining	Nalo Mesh
Insole	SJ Hybrid
Category	S1P / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31

ADVANCE S1P

ELEVATE S1P

SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S1P / SRC
Size Range	EU 37-47 • UK 4-12 • US 4.5-13 • CM 24-31



SHOES FOR CREWS & FOOD COLLECTION



ROCKET81 S1P

SRC HRO

Sole	Phylon/Rubber
Toecap	Composite
Midssole	Puncture Resistant SJ FLEX
Lining	Coolmax®
Insole	Soft Impact Foam
Category	S1P / SRC HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 • CM 25-31.5



BRIO S2

LIGHTWEIGHT SRC ESD

Sole	Impact oil resistant phylon + natural rubber
Toecap	Nano carbon
Midssole	-
Lining	Breathable technomesh
Insole	Ergonomic breathable SJ Hybrid
Category	S2 / SRC ESD
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



X1100N81 S3

SRC HRO

Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Cambrella
Insole	Soft Impact Foam
Category	S3 / SRC HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 • CM 23.5-31.5



X111081 S3

SRC HRO

Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Cambrella
Insole	Soft Impact Foam
Category	S3 / SRC HRO
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 • CM 23.5-31.5



DOLCE81 S3

SRC HRO

Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Mesh
Insole	Soft Impact Foam
Category	S3 / SRC HRO
Size Range	EU 35-48 • UK 13-12 • US 13.5-13 • CM 23-31.5



GUSTO81 S3

SRC HRO

Sole	PU/Rubber
Toecap	Steel
Midssole	Steel
Lining	Mesh
Insole	Soft Impact Foam
Category	S3 / SRC HRO
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 • CM 23-31.5



XO500 S2

SRC

Sole	PU/PU
Toecap	Steel
Midssole	-
Lining	Nylon
Insole	Soft Impact Foam
Category	S2 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



DOLCE S3

SRC

Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh
Insole	Soft Impact Foam
Category	SB / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



CORTADO SB

SRC

Sole	PU/PU
Toecap	Steel
Midssole	-
Lining	Imbkmesh
Insole	Ergonomic breathable SJ Hybrid
Category	SB / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



GUSTO S2

SRC

Sole	PU/PU
Toecap	Steel
Midssole	-
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S2 / SRC
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



WHT

BESTLIGHT1

SRC

Sole	EVA/Rubber
Toecap	-
Midssole	-
Lining	EVA
Insole	EVA
Category	SB / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



POSEIDON S4

SRA

Sole	PVC
Toecap	Steel
Midssole	-
Lining	Textile
Insole	-
Category	S4 / SRA
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



BLK

SNEAKERS COLLECTION



NEW

OBELIX S3

SRC ESD



BLK

Sole	Rubber
Toecap	Aluminium
Midssole	Puncture resistant SJ FLEX
Lining	Nalio mesh
Insole	SJ Hybrid
Category	S3 / SRC ESD
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 • CM 23-31.5

NEW

OBELIX S3

SRC ESD



BLU

Sole	Rubber
Toecap	Aluminium
Midssole	Puncture resistant SJ FLEX
Lining	Nalio mesh
Insole	SJ Hybrid
Category	S3 / SRC ESD
Size Range	EU 35-48 • UK 3-13 • US 3-13.5 • CM 23-31.5

LADIES COLLECTION



BOTANIC S1P

SRC



Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Cotton
Insole	Soft Impact Foam
Category	S1P / SRC
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 • CM 23-27

ORGANIC S1P

SRC



Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Cotton
Insole	Soft Impact Foam
Category	S1P / SRC
Size Range	EU 35-42 • UK 3-8 • US 5.5-10.5 • CM 23-27

BESTGIRL S3

SRC



Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-42 • UK 3.5-8 • US 6-10.5 • CM 23.5-27



CERES S3

SRC



Sole	Rubber
Toecap	Composite
Midssole	Puncture resistant SJ FLEX
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S3 / SRC
Size Range	EU 36-42 • UK 3.5-8 • US 6-10.5 • CM 23.5-27



SEASONAL COLLECTION



BOREAS2 S3

SRC HRO



Sole	PU/Rubber
Toecap	Composite
Midssole	Puncture resistant SJ FLEX
Lining	Cambrella
Insole	Premoulded
Category	S3 / SRC HRO
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



BESTBOOT2 S3

SRC



Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Cambrella
Insole	Premoulded
Category	S3 / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



NORDIC S3

WARM LINING
SRC CI



Sole	PU/TPU
Toecap	Composite
Midssole	Puncture resistant SJ FLEX
Lining	Fur
Insole	Fur
Category	S3 / SRC CI
Size Range	EU 38-46 • UK 5-11 • US 5.5-12 • CM 25-30



BESTBOY252 S3

WARM LINING
SRC HRO CI



Sole	BASF PU/rubber
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon + fur
Insole	Fur
Category	S3 / SRC HRO CI
Size Range	EU 36-48 • UK 3.5-13 • US 4-13.5 • CM 23.5-31.5



SONORA S1P

SRC



Sole	PU/PU
Toecap	Steel
Midssole	Steel
Lining	Mesh nylon
Insole	Soft Impact Foam
Category	S1P / SRC
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



FORZA S1P

SRC ESD



Sole	PU/PU
Toecap	Composite
Midssole	Puncture resistant SJ FLEX
Lining	Coolmax®
Insole	Soft Impact Foam
Category	S1P / SRC ESD
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



HERCULES S5

SRA



Sole	PVC
Toecap	Steel
Midssole	Steel
Category	S5 / SRA
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



NEW

PROSHIELD 4X42F

1 PACKS

- Ultra-high level of cut resistance with a fully wrist protection
- Extreme dexterity due to the 15 gauge lining
- Anti cut level 5/F
- Sizes 7, 8,9,10 and 11



TOUCHSCREEN GLOVE

*TDM - 100 test



NEW

PROCUT 4X42D

1 PACKS

- High level of cut resistance with a fully wrist protection
- Extreme dexterity due to the 18 gauge lining
- DMF free
- Anti cut level 5/D
- Sizes 7, 8,9,10 and 11



TOUCHSCREEN GLOVE

*TDM - 100 test



PROTECTOR 4X44C

BULK

- HPPE liner
- 1st layer in blue nitrile
- 2nd layer in black foamed nitrile
- Anti cut level 5/C
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test



SHIELD 4X43C

1 PACKS

- HPPE liner
- Polyurethane grip
- Anti cut level 5/C
- Sizes 7, 8, 9, 10 and 11

*TDM - 100 test



ALLFLEX 4132X

1 PACKS
BULK

- Nylon/spandex glove
- PU-nitrile micro foam coating
- DMF free
- Sizes 7, 8, 9, 10 and 11



TOUCHSCREEN GLOVE



CONSTRUCTO 3243X

1 PACKS

- Cotton/polyester glove
- Wrinkled latex grip
- Extremely flexible and solid
- Sizes 7, 8, 9, 10 and 11



SUPERPRO 4121X

BULK

- Polyester glove
- Black nitrile coating
- Oil resistant
- Sizes 8, 9, 10 and 11



PROSOFT 3121X

BULK

- Polyester glove
- Grey foam nitrile coating
- Oil resistant
- Sizes 7, 8, 9, 10 and 11



MULTITASK 4131X

BULK

- Polyester glove
- PU coating
- Oil resistant
- Available in black and white
- Sizes 8, 9, 10 and 11

ACCESSORIES



SJ SOCK2

3 PACKS

150 PAIRS PER CARTON
4 SIZES IN 1

- Material** 75% cotton - 23% polyester - 2% elastic
- Sizes** EU 39/42 - 43/47
UK 6/8 - 9/12
US 6.5/9 - 10/13
CM 25.5/27 - 28/31



SJCOMFORT

48 PAIRS PER SIZE/CARTON

- Specifications** Extra comfortable heel support
Ultra high ergonomic comfort
Air breathability technology
Arch support
Coolmax®
- Sizes** EU 36/38 - 39/41 - 42/44 - 45/47
UK 3.5/5 - 6/7 - 8/10 - 10.5/12
US 4/5.5 - 6.5/7.5 - 9/10.5 - 11.5/13
CM 23.5/25 - 25.5/26 - 27/28.5 - 29.5/31



COMFORT FIT

EXTREMELY LIGHT

ANTI-BACTERIAL

EFFICIENT CUSHIONING

SUPER BREATHABLE

INSTANT DRY



NEW

50 PIECES PER BOX

PROMASK

DISPOSABLE COMFORT MASKS

NOT FOR MEDICAL USE

Blue outside layer
(non woven fabric)

Highly efficient mid layer
(non woven fabric)

Fine, smooth inner layer
(non woven fabric)

- ⊙ Adjustable nose bridge
- ⊙ Comfortable & breathable
- ⊙ Special 3-ply non-woven design

GLOVES | 120 pairs in export carton per size, per model.

SJ SOCK2 | single package per 3 pairs - 150 pairs per carton.

SJCOMFORT | 48 pairs per carton.

PACKAGE:

- 50pcs in Oppbag in a box (size: 20cm*10.5cm*9cm).
- 40boxes=2000pcs in Carton, carton size (55.5cm*41.5cm*39cm).
- G.W/carton: 8.5kg.

CLOGS COLLECTION



SMOOTH OB SRC ESD

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	EVA + rubber outsole
Maintenance	Not autoclavable, Washable at 30°C Chemically and UV sterilisable
Weight	ca. 240 gr. per shoe
Size Range	EU 36-46 • UK 3.5-11 • US 4-12 • CM 23.5-30



SONIC OB SRC ESD

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	EVA
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 150 gr. per shoe
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • CM 23/23.5-29.5/30



OXYCLOG OB SRA ESD

Standard	CE standard EN ISO 20347 OB SRA ESD
Slip resistant	SRA
Anti-static	ESD
Material	TPE (thermoplastic elastomer)
Insole	Removable
Maintenance	Autoclavable at 135°C Washable at 90°C Chemically and UV sterilisable
Weight	ca. 240 gr. per shoe
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • CM 23/23.5-29.5/30



OXYVA O1 SRC ESD

Standard	CE standard EN ISO 20347 O1 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	EVA
Insole	Removable
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 200 gr. per shoe
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • CM 23/23.5-29.5/30



OXYSAFE PB SRC ESD

Standard	CE standard EN ISO 20346 PB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Safety toe cap	Composite 100 Joules
Material	EVA
Insole	Removable
Maintenance	Not autoclavable, Washable at 30°C Chemically and UV sterilisable
Weight	ca. 280 gr. per shoe
Size Range	EU 35/36-45/46 • UK 3/3.5-10.5/11 US 3/4-11.5/12 • CM 23/23.5-29.5/30



BESTLIGHT1 OB SRC

Standard	CE standard EN ISO 20347 OB SRC
Slip resistant	SRC
Anti-static	-
Material	EVA + rubber outsole
Insole	Removable
Safety toe cap	-
Maintenance	Not autoclavable, Washable at 30°C Chemically and UV sterilisable
Weight	ca. 150 gr. per shoe
Size Range	EU 36-46 • UK 3.5-11 • US 4-12 • CM 23.5-30



SAFETYCLOG PB SRC

Standard	CE standard EN ISO 20346 PB SRC
Slip resistant	SRC
Anti-static	-
Safety toe cap	Composite 100 Joules
Material	EVA+Rubber outsole
Insole	Removable
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 250 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



BESTCLOG OB SRC

Standard	CE standard EN ISO 20347 OB SRC
Slip resistant	SRC
Anti-static	-
Material	EVA+Rubber outsole
Insole	Removable
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 250 gr. per shoe
Size Range	EU 35-47 • UK 3-12 • US 3-13 • CM 23-31



MOVE UP COLLECTION



SALMA OB SRC ESD

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



LUCIA O1 SRC ESD

Standard	CE standard EN ISO 20347 O1 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

MOVE COLLECTION



EVA O1 SRC ESD

Standard	CE standard EN ISO 20347 O1 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



DORIA OB SRC ESD

Standard	CE standard EN ISO 20347 OB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



NELIE 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

WHT FUX BLK



LILIA 0B

SRC ESD

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 250 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

WHT FUX BLK



OLGA 0B

SRC ESD

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Not Removable
Weight	ca. 230 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

WHT LBL



NEW

LAUREN 0B

Standard	EN ISO 20347 0B
Slip resistant	-
Anti-static	-
Material	Synthetic leather
Lining	Coolmax®
Insole	Not Removable
Weight	ca. 230 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

BLK

MEDILOGIC COLLECTION



EMILY 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Synthetic leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 250 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

LBL BLK



CANDY 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Synthetic leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



SUZY 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Synthetic leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 240 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

FLR FUX LIC

LBL



IRIS 0B

SRC ESD

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Synthetic leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 230 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

MOTION COLLECTION



EVAN 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 320 gr. per shoe
Size Range	EU 39-46 • UK 6-11 • US 6.5-12 • CM 25.5-30

BLK



ROY 01

SRC ESD

Standard	CE standard EN ISO 20347 01 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 280 gr. per shoe
Size Range	EU 39-46 • UK 6-11 • US 6.5-12 • CM 25.5-30

WHT



REMY 0B

SRC ESD

Standard	CE standard EN ISO 20347 0B SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	Leather
Lining	Coolmax®
Insole	Removable
Weight	ca. 260 gr. per shoe
Size Range	EU 37-46 • UK 4-11 • US 4.5-12 • CM 24-30

WHT

BIO OXY COLLECTION



JEFF 0B

SRC

Standard	CE standard EN ISO 20347 0B SRC
Slip resistant	SRC
Anti-static	-
Material	Synthetic leather
Lining	Coolmax®
Insole	Anatomically shaped footbed
Weight	ca. 360 gr. per shoe
Size Range	EU 39-46 • UK 6-11 • US 6.5-12 • CM 25.5-30

WHT



BIANCA 0B

SRC

Standard	CE standard EN ISO 20347 0B SRC
Slip resistant	SRC
Anti-static	-
Material	Synthetic leather
Lining	Coolmax®
Insole	Anatomically shaped footbed
Weight	ca. 290 gr. per shoe
Size Range	EU 35-42 • UK 3-8 • US 3-9 • CM 23-27

WHT BLK

NEW

DUBLIN 0B

SRC



Standard CE standard EN ISO 20347 OB SRC
 Slip resistant SRC
 Anti-static -
 Material Leather
 Lining Coolmax®
 Insole Not removable
 Weight ca. 250 gr. per shoe
 Size Range EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31

NEW

BERLIN 0B

SRC



Standard CE standard EN ISO 20347 OB SRC
 Slip resistant SRC
 Anti-static -
 Material Leather
 Lining Coolmax®
 Insole Not removable
 Weight ca. 250 gr. per shoe
 Size Range EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31

JULINE 0B

SRC



BLK

Standard CE standard EN ISO 20347 OB SRC
 Slip resistant SRC
 Anti-static -
 Material Synthetic leather
 Lining Coolmax®
 Insole Not Removable
 Weight ca. 250 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



JULIA 0B

SRC



BLK



WHT

Standard CE standard EN ISO 20347 OB SRC
 Slip resistant SRC
 Anti-static -
 Material Synthetic leather
 Lining Coolmax®
 Insole Removable
 Weight ca. 190 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



OLIVE 01

SRC ESD



BLK



WHT

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Synthetic leather
 Lining Coolmax®
 Insole Removable
 Weight ca. 220 gr. per shoe
 Size Range EU 35-44 • UK 3-9.5 • US 3-12 • CM 23-28.5



COLETTE 01

SRC ESD



BLK



WHT

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Synthetic leather
 Lining Coolmax®
 Insole Removable
 Weight ca. 220 gr. per shoe
 Size Range EU 35-44 • UK 3-9.5 • US 3-10.5 • CM 23-28.5



LUCA 01

SRC ESD



LGR



NAV

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material 3D mesh + nylon
 Lining Coolmax®
 Insole Removable, memory foam
 Weight ca. 390 gr. per shoe
 Size Range EU 39-47 • UK 6-12 • US 6.5-13 • CM 25.5-31



KARLA 01

SRC ESD



LBL



FUX

LGR

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material 3D mesh + nylon
 Lining Coolmax®
 Insole Removable, memory foam
 Weight ca. 240 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



CLARK 01

SRC ESD



NAV



BLK

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Leather
 Lining Coolmax®
 Insole Removable
 Weight ca. 390 gr. per shoe
 Size Range EU 40-47 • UK 7-12 • US 7.5-13 • CM 26-31



FUX

PAOLA 01

SRC ESD

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Leather
 Lining Coolmax®
 Insole Removable
 Weight ca. 330 gr. per shoe
 Size Range EU 36-42 • UK 3.5-8 • US 4-9 • CM 23.5-27



OXYSPORT COLLECTION

JUSTIN 01

SRC ESD



NAV

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Leather
 Lining Coolmax®
 Insole Removable, memory foam
 Weight ca. 450 gr. per shoe
 Size Range EU 39-47 • UK 6-12 • US 6.5-13 • CM 25.5-31



ELA 01

SRC ESD



LIC



FUX

LBL

LGR

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Leather
 Lining Coolmax®
 Insole Removable, memory foam
 Weight ca. 354 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



ROMAN 01

SRC ESD



BLK

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Synthetic leather
 Lining Coolmax®
 Insole Removable, memory foam
 Weight ca. 250 gr. per shoe
 Size Range EU 40-47 • UK 7-12 • US 7.5-13 • CM 26-31



PATRICIA 01

SRC ESD



LPK



BLK

Standard CE standard EN ISO 20347 01 SRC ESD
 Slip resistant SRC
 Anti-static ESD
 Material Synthetic leather
 Lining Coolmax®
 Insole Removable, memory foam
 Weight ca. 250 gr. per shoe
 Size Range EU 35-42 • UK 3-8 • US 3-9 • CM 23-27



JAMES OB

SRA



Standard	CE standard EN ISO 20347 OB SRA
Slip resistant	SRA
Anti-static	-
Material	3D mesh
Lining	Coolmax®
Insole	Removable
Weight	ca. 310 gr. per shoe
Size Range	EU 39-47 • UK 6-12 • US 6.5-13 • CM 25.5-31



MAUD OB

SRA



Standard	CE standard EN ISO 20347 OB SRA
Slip resistant	SRA
Anti-static	-
Material	3D mesh
Lining	Coolmax®
Insole	Removable
Weight	ca. 310 gr. per shoe
Size Range	EU 36-42 • UK 3.5-8 • US 4-9 • CM 23.5-27



ACCESSORIES

OXYFOAM

PER 24 PAIRS



Specifications	Maximum cushioning Reduces muscle, foot, knee and back pain ESD standard ensures the dissipation of electrostatic charges 3 sizes in 1: adjustable to every foot Coolmax®
Size Range	3 sizes in 1. adjustable to every foot: 36/37/38 and 39/40/41

3 sizes in 1. adjustable to every foot:
36/37/38 and 39/40/41

OXYSOCKS

160 PAIRS/SIZE OR MIXED



Specifications	74% cotton, 16% spandex, 10% polyester Washable at 40°C
Size Range	Available in 3 sizes: 35/37 - 38/40 - 41/42

Available in 3 sizes:
35/37 - 38/40 - 41/42

ORDER ONLINE | order.safetyjogger.com

SAFETY JOGGER
TACTICAL

TACTICAL

SECURITY COLLECTION



DRAGON S3

LIGHTWEIGHT
SRC ESD



Sole	Impact oil resistant Phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Insole	Ergonomic breathable SJ Hybrid
Category	S3 / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 • CM 23-31

EU 35-47 • UK 3-12 • US 3.5-13 • CM 23-31

KOMODO S3

LIGHTWEIGHT
SRC ESD



Sole	Impact oil resistant Phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh
Insole	Ergonomic breathable SJ Hybrid
Category	S3 / SRC ESD
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 • CM 23-31

EU 35-47 • UK 3-12 • US 3.5-13 • CM 23-31

LAW ENFORCEMENT COLLECTION



SHARK S3

LIGHTWEIGHT
SRC ESD WR



Sole	Impact oil resistant Phylon + natural rubber
Toecap	Nano carbon
Midsole	Flexible light puncture resistant
Lining	Breathable technomesh + unbranded waterproof membrane
Insole	Ergonomic breathable SJ hybrid
Category	S3 / SRC ESD WR
Size Range	EU 35-47 • UK 3-12 • US 3.5-13 • CM 23-31

EU 35-47 • UK 3-12 • US 3.5-13 • CM 23-31



TROOPER S3

SRC WR HRO



Sole	Phylon/Rubber
Toecap	Composite
Midsole	Puncture resistant SJ Flex
Lining	Coolmax® + unbranded waterproof membrane
Insole	Ergonomic breathable SJ Hybrid
Category	S3 / SRC WR HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 • CM 25-31.5

EU 38-48 • UK 5-13 • US 5.5-13.5 • CM 25-31.5



COOLMAX®

TACTIC OB

SRA FO HRO



Sole	Rubber
Toecap	-
Midsole	-
Lining	Breathable technomesh
Insole	Soft Impact Foam
Category	OB / SRA FO HRO
Size Range	EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31

EU 36-47 • UK 3.5-12 • US 4-13 • CM 23.5-31



DUNE OB

SRA FO HRO



Sole	Rubber
Toecap	-
Midsole	-
Lining	Mesh Nylon
Insole	Soft Impact Foam
Category	OB / SRA FO HRO
Size Range	EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31

EU 38-47 • UK 5-12 • US 5.5-13 • CM 25-31



ARMOUR O2

SRC WR FO HRO



Sole	Phylon/Rubber
Toecap	-
Midsole	-
Lining	Coolmax® + Sympatex® moisture tech membrane
Insole	Ergonomic breathable SJ Hybrid
Category	O2 / SRC WR FO HRO
Size Range	EU 38-48 • UK 5-13 • US 5.5-13.5 • CM 25-31.5

EU 38-48 • UK 5-13 • US 5.5-13.5 • CM 25-31.5



SAFETY JOGGER

WORKS

ALWAYS IN STOCK
BEST PRICE GUARANTEE

INDUSTRIAL PROFESSIONAL TACTICAL

OMAN

Muscat

Phone: +968 96060258

mem87ops@gmail.com

ENGINEERED
IN EUROPE

EUROPE

Meersbloem Melden 42
9700 Oudenaarde
Belgium

Phone: +32 55 33 44 44
info@safetyjogger.com

UNITED STATES

Fitron Americas Inc
suite220, 9250 Wilshire Blvd.
Beverly Hills CA90212-USA

Phone: +1 877 669 9727
info@fitronamericas.com

CHINA

Niu Dun Industrial estate
Hengli, Wang Niu Dun, Dongguan
Guangdong Province
China (postal code 523216)

广东省东莞市望牛墩镇横沥村牛顿工业区
二楼直销部 (邮编523216)

Phone: +86 769 3901 8500
safetyjogger@cortinachina.com

RUSSIA

Невский проспект 55 А
191025 Санкт-Петербург
Россия

Телефон: +7 812 313 92 96
info@safetyjogger.com